## Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

## Listing of Claims:

- 1. (Currently amended) A method for treating eholinergically induced smooth muscle hyperactivity disorders, comprising the administration to a mammal in need of such treatment a therapeutically effective amount of a compound selected from the group consisting of R,S-N-isopropyl-3-(2-hydroxy-5-methylphenyl)-3-phenylpropyl-amine, R(+)-N-isopropyl-3-(2-hydroxy-5-methylphenyl)-3-phenylpropyl amine, RS-N-Isopropyl-3-(2-hydroxy-5-methylphenyl)-3-phenylpropylamine or R(+)-N-isopropyl-3-(2-hydroxy-5-methylphenyl)-3-phenylpropylamine, or a pharmaceutically acceptable salt thereof.
- 2. (Original) The method of Claim 1, wherein said compound is R,S-N-isopropyl-3-(2-hydroxy-5-methylphenyl)-3-phenylpropylamine or a pharmaceutically acceptable salt thereof.
- 3. (Original) The method of claim 1, wherein said compound is R(+)-*N*-isopropyl-3-(2-hydroxy-5-methylphenyl)-3-phenylpropyl amine, or a pharmaceutically acceptable salt thereof.
- 4. (canceled)
- 5. (canceled)

- 6. (Currently amended) A method for treating cholinergically induced smooth muscle hyperactivity disorders, comprising the administration to a mammal in need of such treatment a therapeutically effective amount of a compound selected from the group consisting of R,S-N-isopropyl-3-(2-hydroxy-5-methylphenyl)-3phenylpropylamine, R(+)-N-isopropyl-3-(2-hydroxy-5-methylphenyl)-3-RS N Isopropyl 3 (2-hydroxy 5(hydroxymethyl)phenyl) 3 phenylpropylamine, phenylpropylamine, R(+) N Isopropyl-3 (2-hydroxy 5 (hydroxymethyl)phenyl) 3-phenylpropylamine, RS-N,N-diisopropyl-3-(2-hydroxy-5-(hydroxymethyl)phenyl)-3-phenylpropylamine or R(+)-N,N-diisopropyl-3-(2hydroxy-5-(hydroxymethyl) phenyl)-3-phenylpropylamine, or a pharmaceutically acceptable salt thereof, while reducing or eliminating concomitant liability of adverse side effects associated with the corresponding parent compounds, those parent compounds being RS-N,N-diisopropyl-3-(2-hydroxy-5-methylphenyl)-3phenylpropylamine and R(+)-N,N-diisopropyl-3-(2-hydroxy-5-methylphenyl)-3phenylpropylamine.
- 7. (Original) The method of claim 6, wherein said compound is R,S-*N*-isopropyl-3-(2-hydroxy-5-methylphenyl)-3-phenylpropylamine or a pharmaceutically acceptable salt thereof.
- 8. (Original) The method of claim 6, wherein said compound is R(+)-*N*-isopropyl-3-(2-hydroxy-5-methylphenyl)-3-phenylpropylamine or a pharmaceutically acceptable salt thereof.

## 9. (Canceled)

## 10. (Canceled)

- 11. (Original) The method of claim 6, wherein said compound is RS-N,N-diisopropyl-3-(2-hydroxy-5-(hydroxymethyl)phenyl)-3-phenylpropylamine or a pharmaceutically acceptable salt thereof.
- 12. (Original) The method of claim 6, wherein said compound is R(+)-N,N-diisopropyl-3-(2-hydroxy-5-(hydroxymethyl)phenyl)-3-phenylpropylamine or a pharmaceutically acceptable salt thereof.
- 13. (Original) The method of claim 6, wherein said disorders are selected from the group consisting of urinary incontinence and pollakiuria.
- 14. (Original) The method of claim 6, wherein said compound or a pharmaceutically acceptable salt thereof is administered in a dose from about 0.5 mg to about 100 mg per day.
- 15. (Original) The method of claim 6, wherein said compound or a pharmaceutically acceptable salt thereof is administered by inhalation or by parenteral, transdermal, rectal, sublingual or oral administration.
- 16. (Original) The method of claim 6, wherein said compound or a pharmaceutically acceptable salt thereof is administered orally in the pharmaceutical unit dosage form of a tablet or capsule.
- 17. (Currently amended) The <u>method pharmaceutical unit dosage form</u> of claim

  16, wherein said tablet or capsule is formulated for controlled release upon administration.